



EVolve A Better World













Rear Tailgate Mirror









5 Rows with 14 Seats (3+3+2+3+3)





Dual Ring Instrument Panel

Multimedia + Reversing Camera (optional)


Button Gear Shifter




Central Locking

Interior Rearview Mirror

Remote Control Key



Active Safety-ABS+EBD





Auxiliary Safety - Reversing Camera

HD display of reversing assist image quickly identifies obstacles behind, making parking easy and controllable



Passive Safety - High-Strength Body + Anti-Collision Steel Beam

- The body is supported by structural and material design to provide dual safety quarantees, ensuring overall safety and stability
- Large amounts of 3H high-strength steel are used in the body, ensuring the weight reduction while increasing the strength
- In the front of the body, high-rigidity anti-collision steel beams are used on the door side, reducing the damage to the body caused by collisions and ensuring the safety of occupants



Anti-Collision Steel Beam in Door



High-Strength Body

Anti-Collision Steel Beam in Front



PVIEW Specifications

•	
Model	Passenger Transport
Overall Dimensions (mm)	5320×1695×2280
Wheelbase (mm)	3050
GVW (kg)	3400
Seating Capacity	14
Max. Speed (km/h)	100
Max. Gradability (%)	20
Min. Turning Radius (m)	6.25
Driving Range WLTP (km)	195
Battery Type	CATLLFP
Battery Capacity (kWh)	50.23
Voltage (V)	334.88
AC Charging Power (kW)	6.6
AC/DC Charging Time (h) SOC 20% -80%	DC: 0.6 / AC: 5
MotorType	PMSM
Rated/Peak Motor Power (kW)	39/85
Rated/Peak Motor Torque (N·m)	135/290
Brake Type	Front Disc and Rear Drum
Tire	195R15C
ABS+EBD	•
Heating Function of Front AC	•
Rear AC	•
Rear Radar	0
Electronic Adjustable Headlight + Front Daytime Running Lights	•
PVC Floor Mat	•
Rear Wiper + Rear Wiper Sprayer + Rear Defrosting + Rear Tailgate Mirror	•
MP3	•
MP5	0

Model	Cargo Transport
Overall Dimensions (mm)	5320×1695×1990
Wheelbase (mm)	3050
GVW (kg)	3150
Seating Capacity	2
Max. Speed (km/h)	100
Max. Gradability (%)	20
Min. Turning Radius (m)	6.25
Driving Range WLTP (km)	195
Battery Type	CATLLFP
Battery Capacity (kWh)	50.23
Voltage (V)	334.88
AC Charging Power (kW)	6.6
AC/DC Charging Time (h) SOC 20% -80%	DC: 0.6 / AC: 5
MotorType	PMSM
Rated/Peak Motor Power (kW)	39/85
Rated/Peak Motor Torque (N·m)	135/290
Brake Type	Front Disc and Rear Drum
Tire	195R15C
ABS+EBD	•
Heating Function of Front AC	•
Rear AC	0
Rear Radar	0
Electronic Adjustable Headlight + Front Daytime Running Lights	•
PVC Floor Mat	•
Rear Wiper + Rear Wiper Sprayer + Rear Defrosting + Rear Tailgate Mirror	•
MP3	•
MP5	0

FOTON reservers the right to make modifications to vehicle information without prior notice. Version:202410