

THE ALL-NEW RANGE ROVER



ABOVE AND BEYOND

The All-New Range Rover is the most capable Land Rover yet. Lighter, stronger and with new levels of refinement, the Range Rover reinforces its position as the world’s finest luxury SUV.

The fourth generation of the unique Range Rover line, The All-New model has been developed from the ground up, capturing the innovative spirit and iconic design of the original, which changed the world of motoring when it was launched over 40 years ago. The world’s first SUV with a lightweight all-aluminium monocoque body, 39 per cent lighter than the steel body in the outgoing model, The All-New Range Rover takes the capabilities of the marque’s flagship to a new level, with even greater luxury and refinement, enhanced performance and handling on all terrains, and significant advances in sustainability.

Specification The All-New Range Rover

Engine and transmission

Engine	3.0 TDV6 Diesel	4.4L SDV8 Diesel	5.0L V8 Petrol	5.0L V8 Supercharged Petrol
Transmission	Eight-speed automatic transmission			
Power (PS @ rpm)	258 @ 4000	339 @ 3500	375 @ 6500	510 @ 6000-6500
Torque (Nm @ rpm)	600 @ 2,000	700 @ 1700-3000	510 @ 3500	625 @ 2500-5500
Fuel tank capacity (litres)	85	105	105	105

Weight (kg)

Weight from	2160	2360	2200	2330
Max. laden weight	3000	3200	3000	3150

Engine transmission, suspension and driving dynamics

- Diesel misfuel protection device (TDV6 and SDV8 only)
- Adaptive dynamics
- Cornering Brake Control (CBC)
- Dynamic Stability Control (DSC)
- Electronic air suspension (with variable ride height)
- Electronic Brake-force Distribution (EBD)
- Electronic cross linked air suspension with automatic load levelling and multiple modes, access, normal, off-road, extended height
- Electronic Power Assisted Steering (EPAS)
- Electronic stability program
- Electronic Traction Control (ETC)
- Emergency Brake Assist (EBA)
- Hill Descent Control (HDC)
- Roll Stability Control (RSC)
- Reactive grounding response
- Terrain Response® 2
- Trailer stability control

Exterior features and finishers

- Sliding panoramic roof (includes power blind)
- Acoustic laminated, heated front windscreen
- Adjustable, heated, powerfold exterior mirrors with approach lamps and memory with auto reverse dipping
- Auto dimming exterior mirrors
- Rain sensing windscreen wipers
- Adaptive xenon headlamps (includes headlamp powerwash)
- Daytime running lights (DRL’s)
- Follow-me-home lighting
- Electrical towing preparation

Interior features

- Semi-Aniline leather seat ‘Style 19’ (18 way drivers/18 way passenger front seats, front and rear climate seats, massage front seats, adjustable seat bolsters, driver and passenger memory, rear bench seat with load through facility and rear power recline, four way rear seat power lumbar and passenger seat away)

Dimension

Width (mm)	2073/2220
Length (mm)	4999
Height (mm)	1835
Wheelbase (mm)	2922
Approach angle (off-road/standard) (degree)	34.7/26
Departure angle (off-road/standard) (degree)	29.6/24.6
Ground clearance (off-road/standard) (mm)	295.5/220.5
Wading depth (mm)	900
Turning circle (m)	12.3

- Four-zone climate control
- Auto dimming interior mirror
- Customer configurable interior mood lighting
- Cruise control
- Front and rear park distance sensors
- Keyless entry
- Soft door close
- Surround camera system

Safety and security

- Active Speed Limiter (ASL)
- Driver and passenger airbags (side, seat-front, thorax and pelvis)
- Perimetric alarm with engine immobilisation
- Power operated child locks
- Single point entry, customer configurable

Information, communication and entertainment

- Eight inch touch-screen
- Bluetooth® phone connection and audio streaming
- Full TFT/LCD instrument cluster
- Hard Disk Drive (HDD) navigation system
- Meridian surround sound audio system (825W)
- Off-road navigation
- Rear seat entertainment system with touch-screen remote control (includes two sets of wireless headphones)
- TMC (Dynamic Route Guidance)
- Voice control – "Say What You See" intuitive voice control (SWYS)

Notes:

- The company reserves the right to change the vehicle specifications and features described in this publication at any time
- Vehicle specifications and features may vary in different markets
- Images are for illustrative purpose only and may appear different to the actual vehicle

For more specific details please contact **City Automobiles Co.,Ltd.**
Tel 02 651 4545 | sales@landroverthailand.com | **www.landroverthailand.com**

FREELANDER 2



ABOVE AND BEYOND

Freelander 2 delivers superb handling and refinement on-road as well as outstanding capability off-road. It's the smart, practical complement to the modern active lifestyle. There's superb handling and drivability with true Land Rover capability and versatility. Stylish on the outside, with a grille surround, grille bars and fender vents in Brunel plus a rear finisher strip in Light Atlas.

Specification Freelander 2

Engine and transmission (TD4)	
Engine	2.2 litre TD4 Diesel
Transmission	Six-speed manual/automatic transmission with CommandShift®
Power (PS @ rpm)	150 @ 4000
Torque (Nm @ rpm)	420 @ 1750
Fuel tank capacity (litres)	68
Weight (kg)	
Gross vehicle weight	2505
Min. kerb weight from	manual 1785/automatic 1805
Max. payload	550
Towing capacity (with braked trailer)	2000

Engine and transmission (SD4)	
Engine	2.2 litre SD4 Diesel
Transmission	Six-speed manual/automatic transmission with CommandShift®
Power (PS @ rpm)	190 @ 3500
Torque (Nm @ rpm)	420 @ 1750
Fuel tank capacity (litres)	68
Weight (kg)	
Gross vehicle weight	2505
Min. kerb weight from	1805
Max. payload	550
Towing capacity (with braked trailer)	2000

Dimension	
Width (mm)	2005
Length (mm)	4500
Height (mm)	1740
Wheelbase (mm)	2660
Approach angle (degree)	31
Departure angle (degree)	34
Ground clearance (mm) (front/rear)	210/265
Wading depth (mm)	500
Turning circle (m)	11.3

Suspension and steering

- Independent front and rear suspension
- Power steering with manual tilt and reach adjustment
- Terrain Response®

Exterior features

- Body coloured front and rear bumpers
- Heated, electrically adjustable exterior mirrors
- Halogen projector headlamps with headlamp courtesy delay
- Solid paint
- Heated rear windows with wash/wipe system

Wheels and tyres

- 18" Alloy wheels
- 235/60 R18 All Terrain

Comfort and convenience

- Cruise control
- Remote steering wheel controls for audio system
- Sun visors with illuminated vanity mirrors
- Roller blind luggage cover
- Automatic climate control with air filtration
- Approach lighting: mirror puddle lamps and footwell lamps
- Memory function with three setting for driver's seat and exterior mirrors
- Rear seat split 60:40 design
- Single disc CD player with six speaker
- MP3 auxiliary audio socket
- Auxiliary 12v power sockets - front, rear and loadspace

Safety and security

- Remote control central locking on all doors, fuel filler flap and tailgate
- Push button start/stop
- Anti-lock Braking System (ABS)
- Emergency Brake-force Distribution (EBD)
- Electronic Traction Control (ETC)
- Cornering Brake Control (CBC)
- Dynamic Stability Control (DSC)
- Roll Stability Control (RSC)
- Hill Descent Control (HDC)
- Driver and front passenger airbags, front seat side airbags, full length side curtain airbags and inflatable driver's knee airbag
- Passenger airbag disabling switch
- Four-wheel disc brakes with mechanical handbrake
- Two rear ISOFIX child seat anchor points

- Notes:
- The company reserves the right to change the vehicle specifications and features described in this publication at any time
 - Vehicle specifications and features may vary in different markets
 - Images are for illustrative purpose only and may appear different to the actual vehicle

For more specific details please contact **City Automobiles Co.,Ltd.**
Tel 02 651 4545 | sales@landroverthailand.com | **www.landroverthailand.com**

DEFENDER STATION WAGON



ABOVE AND BEYOND

With 90 and 110 wheelbases, Defender is the ultimate Station Wagon. The compact 90 seats four, while the 110 can be specified with either five or seven seats. The Defender Station Wagon's new 2.2 litre Diesel engine produces an impressive 360Nm of torque. With 90 percent of peak power constantly on tap from as low as 2,200rpm to over 4,350rpm, it provides maximum muscle for tough working environments. The six-speed manual transmission also provides smooth on-road performance, effortless gear changes and improves economy.

Specification Defender Station Wagon

Engine and transmission

Engine	2.2 litre 4 cylinder diesel common rail turbo
Transmission	Six-speed manual transmission Dual-range transmission Locking central differential
Drivetrain	Permanent four-wheel drive
Power (PS @ rpm)	122 @ 3500
Torque (Nm @ rpm)	360 @ 2000

	90 SW S	110 SW SE
Fuel tank capacity (litres)	60	75

Weight (kg)

Gross vehicle weight	2505	3050
Min. kerb weight (5 seats/7 seats)	1887	2062/2123
Max. payload (5 seats/7 seats)	618	988/927
Towing capacity (with braked trailer)	3500	3500

Dimension

Width (mm)	1790	1790
Length (mm)	4040	4785
Height (mm)	2021	2021
Wheelbase (mm)	2360	2794
Approach angle (degree)	47	49
Departure angle (degree)	47	35
Ground clearance (mm)	250	250
Wading depth (mm)	500	500
Turning circle (m)	12.3	12.8

Suspension and driving dynamics

- ⌘ All Wheel Drive
- ⌘ Front axle 2 pin differential
- ⌘ Power assisted steering
- ⌘ Standard duty suspension
 - ⌘ Front - Live beam axle, dual rate coil springs, coazial telescopic Nitorgen - charged hydraulic dampers. Panhard rod and Radius arms. Anti-roll bar.
 - ⌘ Back - Live beam axle, triple rate coil springs, telescopic Nitrogen - charged hydraulic dampers. "A" framce and Trailing Links.
- ⌘ Under seat bottle jack

Exterior features

- ⌘ Heated rear screen glass
- ⌘ Tinted front and side glass
- ⌘ Windscreen wash/wipe system (Intermittent function)
- ⌘ Front and rear mudflaps
- ⌘ Side runners
- ⌘ Metallic paint
- ⌘ Under ride protection bar*
- ⌘ Halogen headlamps
- ⌘ Brunel colour grille and headlamp surrounds*

Wheels and tyres

- ⌘ 5 x boost alloy wheels with continental cross tyres
- ⌘ Full size spare wheel

Interior features

- ⌘ Front centre console storage compartment
- ⌘ Two cup holders
- ⌘ Driver map pocket
- ⌘ Air conditioning
- ⌘ Radio and single slot CD with MP3/AUX
- ⌘ Electric front windows
- ⌘ Remote central locking
- ⌘ Rear wash wipe
- ⌘ Carpet floor trim
- ⌘ Leather steeting wheel*
- ⌘ Rear door stowage net*

Safety and security

- ⌘ Anti-lock Braking System (ABS)
- ⌘ Electronic Braking Distribution (EBD)
- ⌘ Tow ball, drop plates and electrics*

* Available only in Defender 110 SW SE

Notes:

- The company reserves the right to change the vehicle specifications and features described in this publication at any time
- Vehicle specifications and features may vary in different markets
- Images are for illustrative purpose only and may appear different to the actual vehicle

For more specific details please contact **City Automobiles Co.,Ltd.**
Tel 02 651 4545 | sales@landroverthailand.com | **www.landroverthailand.com**

RANGE ROVER SPORT



ABOVE AND BEYOND

Powerful and alluring. Ready, poised in anticipation of the drive ahead. Range Rover Sport is assertive, with a unique identity and low-to-the-road, contemporary appearance. With its muscular, sharp attitude it looks like it’s moving, even when it’s standing still.

The refined engines are available for your selection to suit personal preferences and requirements – LR-V8 Supercharged and LR-SDV6 Advanced Sequential Turbo Diesel both with the 6-speed automatic transmission with CommandShift®

Specification Range Rover Sport

Engine and transmission (SDV6)	
Engine	3.0L V6 Advanced Sequential Turbo diesel engine
Transmission	Permanent four-wheel drive with six-speed adaptive automatic gearbox with CommandShift® and high/low range
Power (PS @ rpm)	240 @ 4000
Torque (Nm @ rpm)	600 @ 2000
Fuel tank capacity (litres)	84
Weight (kg)	
Gross vehicle weight	3175
Min. kerb weight	11.5
Towing capacity (with braked trailer)	3500

Engine and transmission (V8 Supercharged)	
Engine	5.0L V8 Supercharged petrol engine
Transmission	Permanent four-wheel drive with six-speed adaptive automatic gearbox with CommandShift® and high/low range
Power (PS @ rpm)	510 @ 6000-6500
Torque (Nm @ rpm)	625 @ 2500-5000
Fuel tank capacity (litres)	88
Weight (kg)	
Gross vehicle weight	3125
Min. kerb weight	11.5
Towing capacity (with braked trailer)	3500

Dimension	
Width (mm)	2004
Length (mm)	4783
Height (mm)	1789
Wheelbase (mm)	2745
Approach angle (degree)	30.3
Departure angle (degree)	26
Ground clearance (mm)	227
Wading depth (mm)	700
Turning circle (m)	11.5

Suspension and steering

- Dynamic pack (dynamic response and adaptive dynamics)*

Exterior features

- Four electric windows with one-touch driver's and passenger's opening
- Global open/close of windows/sunroof
- Heated, electrically adjustable door mirrors
- Acoustic windscreen and front side glass – windscreen and row 1 (side) laminated glass
- Rain sensing windscreen wipers
- Bi-xenon headlamps
- Automatic headlamps
- Headlamp power wash
- Front fog lamps
- Door puddle lamps and footwall lamps

Wheels and tyres

- 19" Alloy wheels
- Toolkit

Comfort and convenience

- Parking aid – rear park distance control
- Push button start incl electric column lock
- Illuminated front vanity mirrors
- Waterfall lighting
- Footwall lamps
- Auto dimming interior mirror
- Climate control – automatic with air filtration
- Climate control inc air conditioning
- Front dome lamps and map lights
- Cup holders (row 1&2)
- Loadspace cover
- Main tailgate power latching

Safety and security

- Airbags, full size driver & front passenger, driver & front passenger side and head, rear outboard passenger head airbags
- Auto lock on drive away
- Remote central locking
- Perimetric alarm
- Passive engine immobilisation
- Electric Park Brake (EPB)
- Electronic Brake Assist (EBA)
- Centrally mounted high level stop lamp located in rear spoiler

Notes:

- The company reserves the right to change the vehicle specifications and features described in this publication at any time
- Vehicle specifications and features may vary in different markets
- Images are for illustrative purpose only and may appear different to the actual vehicle

For more specific details please contact **City Automobiles Co.,Ltd.**
Tel 02 651 4545 | sales@landroverthailand.com | **www.landroverthailand.com**

* Available only in V8 Supercharged

DISCOVERY 4



ABOVE AND BEYOND

The Discovery 4 offers a premium image for premium businesses and ensures that you can get where you need to, no matter what the conditions or terrain. Four-corner air suspension guarantees a constant ride height regardless of load, while the vehicle can be lowered easily to aid loading. Terrain Response® ensures a smooth ride both on and off-road.

Specification **Discovery 4**

Engine and transmission (SDV6 Diesel)

Engine	3.0 litre SDV6
Transmission	Six-speed adaptive automatic transmission
Power (PS @ rpm)	245 @ 4000
Torque (Nm @ rpm)	600 @ 2000
Fuel tank capacity (litres)	86.3

Weight (kg)

Gross vehicle weight	3240
Min. kerb weight	2548

Dimension

Width (mm)	2022
Length (mm)	4829
Height (mm)	1837
Wheelbase (mm)	2885
Approach angle (degree)	36.2
Departure angle (degree)	29.6
Ground clearance (mm)	310
Wading depth (mm)	700
Turning circle (m)	11.45

Suspension and steering

- Four-corner air suspension with Terrain Response®
- Assisted rack and pinion steering

Exterior features

- Coloured coded front bumper, tailgate lift handle and mirror caps
- Upper/lower split rear tailgate
- Rear park distance control
- Rear view camera
- Electric heated and adjustable mirrors
- Heated rear windscreen
- Taildoor wash wipe system
- Xenon adaptive front headlamps including cornering lamps
- Exterior mirrors - powerfold

Wheels and tyres

- 19" Alloy wheels
- 255/55 All Terrain
- Full size spare wheel

Comfort and convenience

- Cruise control
- Leather steering-wheel mounted audio controls
- Steering column - electric adjustment for height and reach
- Cup holders on all rows
- Electric windows with one touch driver's opening
- Automatic climate control
- Interior mood lighting
- Load space cover - parcel shelf
- Seat height and lumbar adjust for driver
- Portable audio interface
- Personal telephone integration system (Bluetooth® capability)
- Trip computer with message centre
- Third row (6/7) seats*
- Audio system - harman/kardon: 11 speakers including subwoofer, single slot CD player, 7" touch screen, MP3 disc compatibility, digital audio amplifier, auxiliary input (380 watts)
- 7 seat pack

Safety and security

- Four channel all terrain Anti-lock Braking System (ABS) with all round ventilated disc brakes
- Dynamic Stability Control (DSC)
- Roll Stability Control (RSC)
- Electric Parking Brake (EPB)
- Electric Brake Assist (EBA)
- Airbags
- Alarm system - volumetric

* Option ** 3rd row only with 7 seated fitted

Notes:

- The company reserves the right to change the vehicle specifications and features described in this publication at any time
- Vehicle specifications and features may vary in different markets
- Images are for illustrative purpose only and may appear different to the actual vehicle

For more specific details please contact **City Automobiles Co.,Ltd.**
Tel 02 651 4545 | sales@landroverthailand.com | www.landroverthailand.com